

COMMERCIAL-GRADE PERFORMANCE, REDUCED NOISE AND ZERO EMISSIONS

THE NEW BOBCAT ZERO-TURN ELECTRIC MOWER

The Bobcat ZT6000e provides up to 8 hours* of runtime and mows up to 23.8 acres** on a single charge with its integrated lithium-ion battery, electric drive and direct-drive electric blade motors. This commercial-grade powerhouse includes the AirFX™ cutting deck that gives owners a phenomenal quality of cut, including even clipping dispersal and a cleaner deck throughout the day. Its bullnose design and bolt-on baffles lift grass for a remarkable, uniform finish. The new ZT6000e provides Bobcat toughness with illuminating turf results.

FULLY CHARGED AND READY TO (QUIETLY) ROLL

With reduced noise levels compared to mowers with internal combustion engines, zero emissions and a 4.3-inch touch display, these mowers change the game for operator experience.

- Includes a 52- or 61-inch AirFX deck
- Integrated 58-volt/20.4 kWh lithium-ion battery supports up to 8 hours* of runtime and mows up to 23.8** acres on a single charge
- Recharges in 6.3 hours with 240-volt connection,
 12.6 hours with 120-volt connection
- Three electric blade motors provide tip speed up to 18,500 fpm for superior productivity
- 3-year/2,000-hour limited warranty





^{*}Times and acreage will vary depending on conditions.

^{**23.8} acres assumes 100% efficiency, i.e., straight-ahead operation with no overlap using the 61-inch deck at 9 mph.

ZT6000e		
Model	M6126-P01-C01	M6126-P01-C02
Power		
Battery Type	Lithium Ion	Lithium Ion
System Voltage	58 V	58 V
Gross Battery Capacity	20.4 kWh	20.4 kWh
Estimated Run Time	4-8 hr.*	4-8 hr.*
Mowable Acres	16.4-20.5 acres**	19.0-23.8 acres***
Power System		
Deck Motors	3 x (3 kW)	3 x (3 kW)
Wheel Drive Motors	2 x (3 kW)	2 x (3 kW)
Drive Description	HD Planetary Gearbox, Integrated Parking Brake	HD Planetary Gearbox, Integrated Parking Brake
Forward Speed	10.9 mph (17.5 km/hr.)	10.9 mph (17.5 km/hr.)
Reverse Speed	4.1 mph (6.5 km/hr.)	4.1 mph (6.5 km/hr.)
Deck		
Mower Deck	AirFX Cutting System	AirFX Cutting System
Available Widths	52.5 in. (1320 mm)	61.0 in. (1549 mm)
Cutting Height	1.0-5.5 in. (25-139 mm)	1.0-5.5 in. (25-139 mm)
Blade Tip Speed	18,500 fpm	18,500 fpm
Discharge Chute	Flexible Molded Polymer	Flexible Molded Polymer
Frame		
Front and Rear	1.5- x 2.5-inch Steel Tubing; Welded Steel Reinforced Frame	1.5- x 2.5-inch Steel Tubing; Welded Steel Reinforced Frame
Machine Length	82.3 in. (2090 mm)	83.2 in. (2114 mm)
Machine Weight	1446 lb. (655 kg)	1459 lb. (661 kg)
Wheels		
Rear	24 x 10.5-12	24 x 10.5-12
Front	15 x 6-6	15 x 6-6
Operator Platform		
Seat	High Back, Full Mechanical Suspension Seat	High Back, Full Mechanical Suspension Seat
Fore-Aft Adjust	Seat Slide Lever	Seat Slide Lever
Warranty		
Machine	3-year/2,000-hour	3-year/2,000-hour
Charging		
On-Board 120V	12.6 hr.	12.6 hr.
On-Board 240V	6.3 hr.	6.3 hr.

*Times and acreage will vary depending on conditions.

**20.5 acres assumes 100% efficiency, i.e., straight-ahead operation with no overlap using the 52-inch deck at 9 mph.
16.4 acres assumes 80% efficiency and is more accurate to actual mowing capability using the 52-inch deck at 9 mph.

***23.8 acres assumes 100% efficiency, i.e., straight-ahead operation with no overlap using the 61-inch deck at 9 mph.

19.0 acres assumes 80% efficiency and is more accurate to actual mowing capability using the 61-inch deck at 9 mph.

Certain specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual Bobcat equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.



Bobcat Company is a member of the Doosan Group. Doosan is a global leader in construction, grounds maintenance and material handling equipment, power and water solutions, and engineering that has proudly served customers and communities for more than a century.

Bobcat*, the Bobcat logo and the colors of the Bobcat machine are registered trademarks of Bobcat Company in the United States and various other countries.

©2024 Bobcat* Company. All rights reserved.



